




Construction Project Management 



Course 409
APPA Institute for Facilities Management

Jeffrey Gee, AIA
Swinerton Management & Consulting

AIA Continuing Education Provider 


INTRODUCTION




AIA Continuing Education Provider 

AGENDA

- Multiple Choice
- Immediate Take-Away
- Managing Expectations
- Process/Controls
- Terms & Conditions
- Start of Construction

AIA Continuing Education Provider 

AGENDA




Construction Management

- Schedules
- Schedule of Values
- Submittals
- Payment Applications
- Requests for Information
- Change Order Requests
- Change Orders

AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

AGENDA

- Budget Forecasting
- Substantial Completion
- Close-out
- Managing Construction Time
- Common Issues During Construction
- Construction Claims
- Improving the Construction Process



AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

AIA CONTINUING EDUCATION

Credit(s) earned on completion of this course will be reported to American Institute of Architects (AIA) Continuing Education Session (CES) for AIA members.

Certificates of Completion for both AIA members and non-AIA members are available upon request.

This course is registered with AIA CES for continuing professional education. As such, it does not include content that may be deemed or construed to be an approval or endorsement by the AIA of any material of construction or any method or manner of handling, using, distributing, or dealing in any material or product.

Questions related to specific materials, methods, and services will be addressed at the conclusion of this presentation.

AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

COURSE DESCRIPTION

- This session is a complete review of the process of managing a construction project.
- Discuss procedures for construction inspection, change orders, communications, scheduling, payments, and dispute resolution.
- Review the insurance and bonding issues involved in construction contracting.
- Discuss the fundamental project duties and responsibilities of the owner, designer and contractor.
- Review the steps necessary to evaluate and ensure compliance with contract documents, codes and standards.

AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

LEARNING OBJECTIVES

- Review the process of managing construction projects.
- Review the steps necessary to evaluate and ensure contract document compliance with codes and standards.
- Discuss construction inspection, change orders, scheduling payments and dispute resolution.
- Review insurance and bonding issues

AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

IMMEDIATE TAKE-AWAY

“A colleague of mine is currently faced with the following challenge.....”




AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS



CONSTRUCTION PHASE


“Where the rubber hits the road...”

THE PHASE WHERE WE CORRECT THE DESIGN
– “I JUST BUILT WHAT THE PLANS SAID”



AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PLANNERS

SPEAKING OF RUBBER HITTING THE ROAD... ..





AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PLANNERS

MULTIPLE CHOICE - #1

Standard contracts for design services and for construction provide mutual and clear definitions of project success.

A) True
B) False




MULTIPLE CHOICE - #2

The construction contract for a summer renovation project has been signed and awarded to a contractor. The schedule is very aggressive. Two weeks before the scheduled start of construction, the Project Manager learns that the classroom has been vacated a few days earlier than anticipated. The Project Manager wants the contractor to start work earlier.

The Project Manager should:

A) Change the Notice to Proceed
B) Plead with the Contractor to start work early
C) Review with the Contractor and issue a Change Order
D) Advise the Contractor that it is in his best interest to start




MULTIPLE CHOICE - #3

The CFO for a major college has advised the construction contractor that he can authorize changes in the work. In addition, the architect and the construction manager are also authorized to approve changes.

Is this a good recipe for a successful project?

A) True
B) False




MULTIPLE CHOICE - #4

As part of the construction contract, a schedule is required from the Contractor within 30 days of the NTP. The project has a very aggressive schedule and the Contractor is working along with his subcontractors. However, the Contractor has not submitted a schedule for the last 2 pay periods (months). The College is withholding payments valued in excess of \$2 million. This is within the contractual rights of the University.

Will this strategy help the project be completed on time?

A) True
B) False




MULTIPLE CHOICE - #5


Construction is underway on a renovation project. The Contract duration is 12 months. As part of the submittal process, the contractor has submitted his finishes (carpet, paint, etc.) for review and approval per plans and specifications. The College has decided that they want to revise the interior standards for all campus buildings and management has directed the Project Manager "not to get back to the Contractor" on this submittal for 3-4 months.

Is this a good strategy for addressing this issue?

A) Yes
B) No




MULTIPLE CHOICE - #6



In most cases, construction change orders can be classified into how many basic categories?

A) 1
B) 10
C) 2
D) 5




MULTIPLE CHOICE - #7

When changes to the base contract start to exceed the following percentage, the Project Manager should start to become concerned about the issue of Cardinal Change.

The percentage is:

- A) 5%
- B) 50%
- C) 10%
- D) 25%



AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MULTIPLE CHOICE - #8

The construction contract clearly states that the contract period is 24 months. The contractor is planning to complete the project in 20 months. Seeing that the building will be vacant for 4 months, the Project Manager is directing a change order to complete Additional work. However, the issue of extended General Conditions is in dispute.

Is the Contractor Entitled to additional costs for extended General Conditions?


- A) Yes
- B) No

AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MULTIPLE CHOICE - #9

The General Contractor is responsible for Scheduling and coordinating the work of The University's IT department and other Contractors hired by the University.

- A) True
- B) False



AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MULTIPLE CHOICE - #10

The General Contractor has been raising concerns about the length of time that it is taking the architect and engineers to respond to RFI's, Submittals and Change Order Requests. The architect's comment in response to the Contractor is that the University is not paying me enough.

The Project Manager should:

- A) Pay the architect additional fees
- B) Take over the architect's responsibilities
- C) Pay the contractor for delays
- D) Demand that the architect perform






MANAGING EXPECTATIONS OWNER

EXPECTATIONS

- Quality
- Function
- Performance
- Aesthetics
- Scope



MANAGING EXPECTATIONS OWNER

EXPECTATIONS


- On Time
- Within Budget
- Per Contract



MANAGING EXPECTATIONS THE CONTRACTOR

EXPECTATIONS

- Maximize Productivity
- Make Planned Profit
- Enhance Reputation
- Per Plans & Specifications



MANAGING EXPECTATIONS DESIGN PROFESSIONAL


EXPECTATIONS

- Owner/Client Satisfaction
- Future Commissions
- Professional Recognition


MANAGING EXPECTATIONS

Inherent differences

- Owner
- Contractor
- Design Professional



QIA
Quality
Assurance
Program



POTENTIAL CONFLICT




ATA
Continuing
Education
Provider

APPA
ASSOCIATION OF PROFESSIONAL APPLICATORS

ALIGNMENT

- Partnering
- Common Definition of Success




ATA
Continuing
Education
Provider

APPA
ASSOCIATION OF PROFESSIONAL APPLICATORS

MANAGING CONFLICT

- This is what not to do!




ATA
Continuing
Education
Provider

APPA
ASSOCIATION OF PROFESSIONAL APPLICATORS

MULTIPLE CHOICE - #1

Standard contracts for design services and for construction provide mutual and clear definitions of project success.

A) True
B) False



IS EVERYTHING IN PLACE?




- Notice of Intent
- Certificate of Insurance
 - Owner named as additional insured
- Risk Builder's Insurance in place
- Bonds
 - Payment Bond
 - Performance Bond
- Contract is signed



OTHER CONSULTANT AGREEMENTS

- **Contract(s) in place**
 - Materials/Special Inspections
 - Construction Manager
- Identify scheduling requirements
- Document requests for inspection
- Document cancelled inspections
- Back-charge for cancelled re-inspections (if specified)





PROCESS/CONTROLS

- Read the contract(s)
- Know what is in it
- Document clearly
- Specified controls are part of the contract

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

TERMS

Examples:

- Requests for Information (RFI)
- Bulletins
- Architect's Supplementary Instruction (ASI)
- Change Proposal Request (CPR)
- Change Proposal Estimate (CPE)
- Change Order Request (COR)

Which terms are the right ones?

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

TERMS & CONDITIONS

Defined in the Contracts:

- Design Professional Agreement
- Construction Contract
 - Contract
 - General Conditions
 - Specifications
 - Plans
- Other Consultant Agreements

APPA
ASSOCIATION OF PROFESSIONAL PROJECT ARCHITECTS

THE START OF THE CONSTRUCTION CONTRACT


- Issuing the Notice to Proceed
- Procedure Meeting
- Pre-construction Meeting
- Contractor's Schedule
- Schedule of Values

APPA
ASSOCIATION OF PROFESSIONAL PROJECT ARCHITECTS




NOTICE TO PROCEED

Always use a Notice to Proceed



NOTICE TO PROCEED


- Specify start date of contract
- Identify date as day one of the contract



NOTICE TO PROCEED

Specify contract duration in calendar days from:

- Date of Notice to Proceed
- OR*
- Identification of Completion Date



NOTICE TO PROCEED

Some Basic Strategies:

- Avoid phased completion dates especially precedent activities
- Notice to Proceed date can be a future date

MULTIPLE CHOICE - #2

The construction contract for a summer renovation project has been signed and awarded to a contractor. The schedule is very aggressive. Two weeks before the scheduled start of construction, the Project Manager learns that the classroom has been vacated a few days earlier than anticipated. The Project Manager wants the contractor to start work earlier.


The Project Manager should:

- A) Change the Notice to Proceed
- B) Plead with the Contractor to start work early
- C) Review with the Contractor and issue a Change Order
- D) Advise the Contractor that it is in his best interest to start

AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

PROCEDURE MEETING

- **Make sure that the right people attend**
- **May not be the same staff in the field**
 - Staff handling the paperwork
 - Accounting is critical in FEMA-funded projects



AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

PROCEDURE MEETING

- What is the regular meeting schedule?
- Who attends?
- Who takes meeting notes?
- Who is authorized to approve/direct changes?
- Who maintains logs?
- When are Payment Applications Due?
- How will retention be held?


AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MULTIPLE CHOICE - #3

The CFO for a major college has advised the construction contractor that he can authorize changes in the work. In addition, the architect and the construction manager are also authorized to approve changes.



Is this a good recipe for a successful project?

A) True
B) False




COMMUNICATIONS

- Protocols and procedures
- Site Visitors
- University Events
- Who is in charge?



SITE SAFETY

- The General Contractor is solely responsible for site safety
- A Contractor's EMR Rate of 1.0 or lower is a good rate, if it is higher, you should ask questions
- Everyone is responsible for pointing out unsafe conditions if observed
- Everyone is responsible for complying with the Contractor's safety requirements



SITE SAFETY



AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

**SITE SAFETY –
WHAT WOULD YOU DO IF...**

The Setting

- The Chancellor announces that he would like to take a tour of active construction sites on campus.
- The Chancellor arrives at your project site that is under construction, and site work is underway.
- He has a group with him.
- One individual is dressed in jeans, and appropriate clothing, but is only wearing tennis shoes(not hard sole shoes).
- The General Contractor's Project Manager does not say anything as the group begins walking the construction site.

AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

**SITE SAFETY –
WHAT WOULD YOU DO IF...**

Part 1

- As the Project Manager for the University, do you say something to the person that is not wearing Personal Protection Equipment?
- If you do say something, what would you say?

AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

**SITE SAFETY –
WHAT WOULD YOU DO IF....**

Part 2.....




PRECONSTRUCTION MEETING


- Project focused
- Field focused
- Mobilization
- The right attendance:
 - Contractor's field staff
 - Architect/Key Consultants
 - Owner's staff
 - Inspection forces



CONTRACTOR'S BASELINE SCHEDULE






- Obtain Contractor's Baseline Schedule per contract requirements
- Loaded
 - Include dates/milestones
 - Staffing/Cost
- Requires Approval
- Absolute necessity



CONTRACTOR'S BASELINE SCHEDULE




Remedies:

- Withhold GC's on Payment Application
- Independently prepared schedule






POTENTIAL REMEDIES

- Withholding a stipulated sum
- Holding subsequent pay applications
- 3rd Party Preparation, Costs to be deducted from Amounts Owed




SCHEDULE MANAGEMENT

- **Baseline Schedule Updated Monthly with Payment Application**
- **Withhold General Conditions portion of Payment Application if Update is not received**
- **Short Interval/Rolling Schedule updated at each weekly or bi-monthly meeting**



SHORT INTERVAL/ROLLING SCHEDULE



MULTIPLE CHOICE - #4

As part of the construction contract, a schedule is required from the Contractor within 30 days of the NTP. The project has a very aggressive schedule and the Contractor is working along with his subcontractors. However, the Contractor has not submitted a schedule for the last 2 pay periods (months). The College is withholding payments valued in excess of \$2 million. This is within the contractual rights of the University.

Will this strategy help the project be completed on time?

- A) True
- B) False





SCHEDULE OF VALUES

- As required in specifications
 - AIA Format
 - Other Format
- Recognize Multiple Funding Sources
- Requires Approval



MANAGING CONSTRUCTION SUBMITTALS



- Affirms Quality
- As specified in the contract
 - Number of copies
 - Requires approval
- Substitutions
 - Burden of Proof is on Contractor
- Maintain Log
 - Review weekly
 - Do not let submittals age

MANAGING CONSTRUCTION SUBMITTALS


A COMMON MISCONCEPTION

There is no time limit on the review of submittals unless specified

SUBMITTAL LOG

SUBMITTAL #	DESCRIPTION	RECEIVED FROM SUB	SENT TO RATCLIFF	RETURNED FROM RATCLIFF	STATUS
100-200	TOWER CRANE FOUNDATION	27-Aug-04	27-Aug-04	19-Sep-04	APPROVED
101-2130	ELASTOMERIC MEMBRANE WATERPROOFING	29-Aug-04	29-Aug-04	1-Sep-04	APPROVED
102-3108	PLASTIC COATINGS	29-Aug-04	29-Aug-04	7-Sep-04	APPROVED
103-15810	DUCTS	28-Aug-04	28-Aug-04	24-Sep-04	APPROVED
104-2381	BIOTICRETE	27-Aug-04	28-Aug-04	8-Sep-04	APPROVED
105-15080	MECHANICAL INSULATION	28-Aug-04	27-Aug-04	24-Sep-04	APPROVED
106-15820	DUCT ACCESSORIES	28-Aug-04	7-Sep-04	24-Sep-04	APPROVED
107-19990	TESTING, ADJUSTING, BALANCING	28-Aug-04	27-Aug-04	24-Sep-04	APPROVED
108-15070	TRUCK BOUND, VIBRATION & SEISMIC CONTROL	28-Aug-04	27-Aug-04	24-Sep-04	APPROVED
109-7840	PRESET TOPPING - HEAD OF WALL	28-Sep-04	21-Sep-04		PENDING
110-2812	EMERGENCY PREPAREDNESS - D. BATHROOMS & CENTS AREA	28-Sep-04	21-Sep-04		PENDING
111-2920	SEALANTS - HEAD OF WALL	28-Sep-04	21-Sep-04	30-Sep-04	APPROVED
	ENVIRONMENTAL REQUIREMENTS				
112-15736	WATERPROOFING - AC SHEET	29-Sep-04	21-Sep-04		PENDING
113-5100	STRUCTURAL STEEL - LABELING PROCEDURES / SHOP ONLY	31-Aug-04	31-Aug-04	23-Sep-04	APPROVED
114-15400	PLUMBING - SHOP DRAWINGS (UNDERGROUND ONLY)	2-Sep-04	2-Sep-04	17-Sep-04	APPROVED
116-1340	SAFETY - SHOP	2-Sep-04	2-Sep-04	25-Sep-04	APPROVED
116-1595	CONSTRUCTION WASTE MANAGEMENT PLAN	7-Sep-04	7-Sep-04		OVERDUE
117-2250	SHIELDING CONCRETE & ANCHORS IN CONCRETEWORK SHOP	7-Sep-04	7-Sep-04	24-Sep-04	APPROVED
118-2255	EXPANSION ANCHORS	7-Sep-04	7-Sep-04	24-Sep-04	APPROVED
118-1-2268	OSD - REPORT TO BE SUBMITTED				
119-2350	CONCRETE FINISHES - GROUT & CURING COMPOUND	7-Sep-04	7-Sep-04	17-Sep-04	APPROVED
120-2350	SPECIAL ENVIRONMENTAL REQUIREMENTS - INDOOR AIR QUALITY	8-Sep-04	8-Sep-04		OVERDUE
121-2350	CONCRETE REINFORCEMENT - EJECTOR SETUP & REMOVAL P.A.	8-Sep-04	8-Sep-04	17-Sep-04	APPROVED
122-2100	STRUCTURAL STEEL - ANCHOR BOLTS/TIE-BOLTS	8-Sep-04	1-Sep-04	22-Sep-04	APPROVED
123-2200	CONCRETE REINFORCEMENT - FOR C-PILE CAP @ C LINE	8-Sep-04	8-Sep-04	21-Sep-04	APPROVED



MULTIPLE CHOICE - #5

Construction is underway on a renovation project. The Contract duration is 12 months. As part of the submittal process, the contractor has submitted his finishes (carpet, paint, etc.) for review and approval per plans and specifications. The College has decided that they want to revise the interior standards for all campus buildings and management has directed the Project Manager "not to get back to the Contractor" on this submittal for 3-4 months.

Is this a good strategy for addressing this issue?

- A) Yes
- B) No




MANAGING CONSTRUCTION PAYMENT APPLICATIONS

- Set regular cycle for review, once every 30 days
- Based on approved Schedule of Values
- Prepare a DRAFT in the field
- Finalize in the office
- Submitted by the Contractor
- Approved by Architect/Owner



MANAGING CONSTRUCTION PAYMENT APPLICATIONS


- Retention
 - Typically 10% of Application
 - Options
 - Held by Owner
 - Securities in lieu of Escrow
-
- As individual trades are completed, retention can be reduced by Change Order
 - As project nears completion, retention can be reduced by Change Order





MANAGING CONSTRUCTION PAYMENT APPLICATIONS

ADDITIONAL REQUIREMENTS

- Updated construction schedule
- Status of As-built drawings/documentation
- Lien releases and Conditional/Unconditional lien releases





SAMPLE PAYMENT APPLICATION

Application is made for payment under the Contract as shown below and in Schedule I attached hereto:

1. ORIGINAL CONTRACT SUM.....	\$5,698,712.00
2. NET CHANGE BY CHANGE ORDERS.....	\$600,163.00
3. CONTRACT SUM TO DATE (Line 1 Line 2).....	\$6,298,875.00
4. TOTAL AMOUNT COMPLETED TO DATE (Column E on Schedule 1).....	\$4,835,312.00
5. RETENTION: 10% of Completed Work (Column H on Schedule 1).....	\$0.00
a. Current Value of Securities Deposited in Escrow	\$0.00
b. Current Value of Retention Deposited in Escrow	\$0.00
c. Retention Held by University.....	\$0.00
Current Retention Value (a + b + c).....	\$0.00
6. TOTAL EARNED LESS RETENTION (Line 4 less Line 5).....	\$4,835,312.00
7. TOTAL AMOUNT PREVIOUSLY PAID.....	\$4,220,502.00
8. CURRENT PAYMENT DUE (Line 6 less Line 7).....	\$614,810.00
9. BALANCE TO FINISH, PLUS RETENTION (Line 3 less Line 6).....	\$1,463,563.00





IS THE PROJECT GOING TO BE FINISHED ON TIME?


- Look at Monthly
- Evaluate how much put in monthly basis
- Look at how many months are remaining on base contract

Example:



- 18 month duration, \$40 million contract value
- 10 months have passed with avg. monthly pay of \$2.2 million

MANAGING CONSTRUCTION REQUESTS FOR INFORMATION





- Typically initiated by the Contractor
- Intended for clarification
- Answered by Design Team
- Always should be in writing
- Responses should be timely
- Cautions
 - Excessive RFI's
 - Changes caused by Responses
- Maintain Log
 - Review weekly


RFI LOG



RFI #	DESCRIPTION	CONTRACTOR	DATE SENT TO OWNER	RECEIVED FROM OWNER	RECEIVED FROM OWNER	DAYS TO RESPONSE	DELAY IMPACT	POTENTIAL CORRECT#	STATUS
331	Flashing per A. I. A. 507	J. Dwyer	8/15/04	8/12/04	8/10/04		No	No	Closed
332	Water Flow Chart for Fire Protection	Valde FF	8/19/04	8/12/04	8/20/04		No	No	Closed
333	Control System	Amecan	8/15/04	8/12/04	8/19/04		No	No	Closed
334	Storage Ejector Pit Depth	Amecan	8/20/04	8/17/04	8/19/04		No	No	Closed
335	Slag Fabrication Methods	Alumella	8/15/04	8/17/04	8/19/04		No	No	Closed
336	Rebar 182 T Drawings	Amecan	8/13/04	8/20/04	8/16/04		No	No	Closed
337	Plu Au-Bach	Amecan	8/19/04	8/20/04	8/16/04		No	No	See 337.1
337.1	Plu Au-Bach	Amecan	8/12/04	8/12/04	8/12/04		No	No	See 337.2
337.2	Plu Au-Bach	Amecan	8/12/04	8/20/04	8/19/04		No	Yes	CR 1
338	GMK 831 703	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
339	GMK 831 703	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
340	GMK 831 704	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
341	GMK 831 703	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
342	GMK 831 703	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
343	GMK 831 703	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
344	GMK 831 711	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
345	GMK 831 712	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
346	GMK 831 713	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
347	GMK 831 716	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
348	GMK 831 713	Gyde	8/12/04	ASAP	8/17/04		No	No	Closed
349	GMK 831 724	Gyde	8/12/04	ASAP	8/20/04		No	No	Closed
350	GMK 831 714								

MANAGING CONSTRUCTION CHANGE ORDER REQUESTS





- Initiated by Contractor
- Asserts a change in contract conditions, plans or specifications
- Requires timely review
 - Do not age well
- Maintain log
 - Review regularly





MANAGING CONSTRUCTION CHANGE ORDER REQUESTS



- The Change Order Request (COR) Log
- Record all COR's
- Include a forecast of potential cost



MANAGING CONSTRUCTION CHANGE ORDER REQUESTS

PR / CPE LOG										
FOUR	CPE #	R# #	DESCRIPTION OF CHANGE	\$-Code	STATUS	NOTICE	AMOUNT	VALUE	%	\$ COR#
1	Bulb 181	Bullethead 181		N/A	VOID			\$0	100%	\$0
2	Bulb 182	Bullethead 182								
3	Bulb 6	As-built Four Grades								
4	Bulb 416	Electric Boxes Cabinet Panel								
5	Bulb 183	183 Fume Hood Enclosure		N/A	VOID			\$0	100%	\$0
6	Bulb 184	184 OSHA Award		X	APPD		\$200,000		0%	\$0
7	Bulb 185	185 Personnel Facilities (Showering, Tents, etc)		X	SCRM		\$58,000		0%	\$0
8	Bulb 186	186 Work at Toppling Slab								
9	Bulb 187	187 Bullethead 187								
10	Bulb 178	Waterproofing at East Pit		N/A	VOID			\$0	100%	\$0
11	Bulb 106	AC Cable		X	SLBM		\$18,000		0%	\$0
12	Bulb 106	Bullethead 106		X	SLBM		\$26,719		0%	\$0
13	Bulb 180	Piping Between Sumps		X	SLBM		\$1,431		0%	\$0
14	Bulb 180	180 Material Materials		N/A	VOID			\$0	100%	\$0
15	Bulb 189	189 Non Clay Backfill Materials								
16	Bulb 189	189 Hook Cords at 189A								
17	Bulb 181	181 Truckback Covers								
18	Bulb 181	181 Bullethead 181								
19	Bulb 203 - 205	203-205 Underground Drain Piping Grades								
20	Bulb 219	219 Concrete Wall at Handset Stone								
21	Bulb 219	219 Containment Cover								


MANAGING CONSTRUCTION CHANGE ORDER REQUESTS

Log #	DATE	DESCRIPTION OF CHANGE	AMOUNT	STATUS	NOTICE	AMOUNT	VALUE	%	\$ COR#
1	8/23/19	181 Truckback Covers	0.00	VOID					
2	8/23/19	181 Bullethead 181	0.00	VOID					
3	8/23/19	181 Hook Cords at 189A	0.00	VOID					
4	8/23/19	181 Non Clay Backfill Materials	0.00	VOID					
5	8/23/19	180 Material Materials	0.00	VOID					
6	8/23/19	106 AC Cable	18,000.00	SLBM					
7	8/23/19	106 Waterproofing at East Pit	26,719.00	SLBM					
8	8/23/19	180 Piping Between Sumps	1,431.00	SLBM					
9	8/23/19	180 Concrete Wall at Handset Stone	0.00	VOID					
10	8/23/19	180 Containment Cover	0.00	VOID					
11	8/23/19	203-205 Underground Drain Piping Grades	0.00	VOID					
12	8/23/19	219 Concrete Wall at Handset Stone	0.00	VOID					
13	8/23/19	219 Containment Cover	0.00	VOID					
14	8/23/19	189 Hook Cords at 189A	0.00	VOID					
15	8/23/19	189 Non Clay Backfill Materials	0.00	VOID					
16	8/23/19	189 Truckback Covers	0.00	VOID					
17	8/23/19	181 Bullethead 181	0.00	VOID					
18	8/23/19	181 Hook Cords at 189A	0.00	VOID					
19	8/23/19	181 Non Clay Backfill Materials	0.00	VOID					
20	8/23/19	180 Material Materials	0.00	VOID					
21	8/23/19	106 AC Cable	18,000.00	SLBM					
22	8/23/19	106 Waterproofing at East Pit	26,719.00	SLBM					
23	8/23/19	180 Piping Between Sumps	1,431.00	SLBM					
24	8/23/19	180 Concrete Wall at Handset Stone	0.00	VOID					
25	8/23/19	180 Containment Cover	0.00	VOID					
26	8/23/19	203-205 Underground Drain Piping Grades	0.00	VOID					
27	8/23/19	219 Concrete Wall at Handset Stone	0.00	VOID					
28	8/23/19	219 Containment Cover	0.00	VOID					

MANAGING CONSTRUCTION CHANGE ORDER REQUESTS


Line #	Item #	Description of Change Order	Unit	Rate	Quantity	Amount	Approved	#	Change Order	Current Value
1000	001	As-Built								
1000	002	As-Built								
1000	003	As-Built								
1000	004	As-Built								
1000	005	As-Built								
1000	006	As-Built								
1000	007	As-Built								
1000	008	As-Built								
1000	009	As-Built								
1000	010	As-Built								
1000	011	As-Built								
1000	012	As-Built								
1000	013	As-Built								
1000	014	As-Built								
1000	015	As-Built								
1000	016	As-Built								
1000	017	As-Built								
1000	018	As-Built								
1000	019	As-Built								
1000	020	As-Built								
1000	021	As-Built								
1000	022	As-Built								
1000	023	As-Built								
1000	024	As-Built								
1000	025	As-Built								
1000	026	As-Built								
1000	027	As-Built								
1000	028	As-Built								
1000	029	As-Built								
1000	030	As-Built								
1000	031	As-Built								
1000	032	As-Built								
1000	033	As-Built								
1000	034	As-Built								
1000	035	As-Built								
1000	036	As-Built								
1000	037	As-Built								
1000	038	As-Built								
1000	039	As-Built								
1000	040	As-Built								
1000	041	As-Built								
1000	042	As-Built								
1000	043	As-Built								
1000	044	As-Built								
1000	045	As-Built								
1000	046	As-Built								
1000	047	As-Built								
1000	048	As-Built								
1000	049	As-Built								
1000	050	As-Built								
1000	051	As-Built								
1000	052	As-Built								
1000	053	As-Built								
1000	054	As-Built								
1000	055	As-Built								
1000	056	As-Built								
1000	057	As-Built								
1000	058	As-Built								
1000	059	As-Built								
1000	060	As-Built								
1000	061	As-Built								
1000	062	As-Built								
1000	063	As-Built								
1000	064	As-Built								
1000	065	As-Built								
1000	066	As-Built								
1000	067	As-Built								
1000	068	As-Built								
1000	069	As-Built								
1000	070	As-Built								
1000	071	As-Built								
1000	072	As-Built								
1000	073	As-Built								
1000	074	As-Built								
1000	075	As-Built								
1000	076	As-Built								
1000	077	As-Built								
1000	078	As-Built								
1000	079	As-Built								
1000	080	As-Built								
1000	081	As-Built								
1000	082	As-Built								
1000	083	As-Built								
1000	084	As-Built								
1000	085	As-Built								
1000	086	As-Built								
1000	087	As-Built								
1000	088	As-Built								
1000	089	As-Built								
1000	090	As-Built								
1000	091	As-Built								
1000	092	As-Built								
1000	093	As-Built								
1000	094	As-Built								
1000	095	As-Built								
1000	096	As-Built								
1000	097	As-Built								
1000	098	As-Built								
1000	099	As-Built								
1000	100	As-Built								
1000	101	As-Built								
1000	102	As-Built								
1000	103	As-Built								
1000	104	As-Built								
1000	105	As-Built								
1000	106	As-Built								
1000	107	As-Built								
1000	108	As-Built								
1000	109	As-Built								
1000	110	As-Built								
1000	111	As-Built								
1000	112	As-Built								
1000	113	As-Built								
1000	114	As-Built								
1000	115	As-Built								
1000	116	As-Built								
1000	117	As-Built								
1000	118	As-Built								
1000	119	As-Built								
1000	120	As-Built								
1000	121	As-Built								
1000	122	As-Built								
1000	123	As-Built								
1000	124	As-Built								
1000	125	As-Built								
1000	126	As-Built								
1000	127	As-Built								
1000	128	As-Built								
1000	129	As-Built								
1000	130	As-Built								
1000	131	As-Built								
1000	132	As-Built								
1000	133	As-Built								
1000	134	As-Built								
1000	135	As-Built								
1000	136	As-Built								
1000	137	As-Built								
1000	138	As-Built								
1000	139	As-Built								
1000	140	As-Built								
1000	141	As-Built								
1000	142	As-Built								
1000	143	As-Built								
1000	144	As-Built								
1000	145	As-Built								
1000	146	As-Built								
1000	147	As-Built								
1000	148	As-Built								
1000	149	As-Built								
1000	150	As-Built								
1000	151	As-Built								
1000	152	As-Built								
1000	153	As-Built								
1000	154	As-Built								
1000	155	As-Built								
1000	156	As-Built								
1000	157	As-Built								
1000	158	As-Built								
1000	159	As-Built								
1000	160	As-Built								
1000	161	As-Built								
1000	162	As-Built								
1000	163	As-Built								
1000	164	As-Built								
1000	165	As-Built								
1000	166	As-Built								
1000	167	As-Built								
1000	168	As-Built								
1000	169	As-Built								
1000	170	As-Built								
1000	171	As-Built								
1000	172	As-Built								
1000	173	As-Built								
1000	174	As-Built								
1000	175	As-Built								
1000	176	As-Built								
1000	177	As-Built								
1000	178	As-Built								
1000	179	As-Built								
1000	180	As-Built								
1000	181	As-Built								
1000	182	As-Built								
1000	183	As-Built								
1000	184	As-Built								
1000	185	As-Built								
1000	186	As-Built								
1000	187	As-Built								
1000	188	As-Built								
1000	189	As-Built								
1000	190	As-Built								
1000	191	As-Built								
1000	192	As-Built								
1000	193	As-Built								
1000	194	As-Built								
1000	195	As-Built								
1000	196	As-Built								
1000	197	As-Built								



Document Problems




Approval Agency



Owner Scope Changes

SITE CONDITIONS

Site Condition Video



AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MULTIPLE CHOICE - #6

In most cases, construction change orders can be classified into how many basic categories?

- A) 1
- B) 10
- C) 2
- D) 5


AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MANAGING CONSTRUCTION CHANGE ORDERS

Formal change to the contract should include:


- *Description of scope*
- *Actual cost of the work*
- *Any time extension*
- *Any extended overhead*

Reservation of Rights should be an exception – not the norm



AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MANAGING CONSTRUCTION CHANGE ORDERS



Owner has the right to expect that once the change order is signed, contractor **WILL NOT** come back and request additional time or money.

AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

CHANGE ORDER REQUEST—WHAT WOULD YOU DO IF...

- Construction is underway
- The construction market is very robust
- Construction labor is short and competition for staff is highly competitive
- National policy imposes tariffs on a variety of construction materials specified in plans and specifications
- The Contractor is claiming that subcontractors are facing unknown material costs and product delivery
- What would you do?

AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS



CARDINAL CHANGE


AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MULTIPLE CHOICE - #7

When changes to the base contract start to exceed the following percentage, the Project Manager should start to become concerned about the issue of Cardinal Change.

The percentage is:

- A) 5%
- B) 50%
- C) 10%
- D) 25%



AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

BUDGET FORECASTING

- Critical key to successful project management
- Accounting reports tell what you have and where you have been
- Accounting reports do not tell you where you are going
- Needs to be combined with forecasts of time and money

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS


WAG'S

- It is better to anticipate than to be unpleasantly surprised
- Take the number of RFI's, COR's, etc. that have Cost impacts and have been approved to date
- Divide the numbers to obtain an average
- Apply the average to the number of RFI's, COR's, etc. that are open
- Budget for these potential cost impacts

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS


SUBSTANTIAL COMPLETION

- Owner's use of the project for its intended purpose, but not all requirements of the contract are complete
- Similar to Beneficial Occupancy
- Document:
 - Specify parts of the project occupied
 - Specify parts of building systems that are taken over
 - Starts warranty period on occupied spaces
 - Responsible for utility costs and maintenance




CLOSE OUT

- Commissioning
 - Systems check
 - Start-up
 - Testing and Balancing
- Pre-Punch
- Punch-list
- Contract Requirements
 - As-Builts
 - Warranties
 - Operation and Maintenance Manuals





COMMISSIONING

- Commissioning begins during the design phase
- Identify participants
 - Architect/Engineer
 - General Contractor/Subcontractors
 - Commissioning Agent
- Quality Assurance/Quality Control Plan
- Commissioning Plan



PUNCH LIST




- Pre-punch Lists
 - Punch list as construction proceeds
- Punch List
 - Specify procedures and participants
 - Architect/engineers
 - Building engineer
 - Facilities staff



AS-BUILTS


Separate line item on Schedule of Values

- **As-builts**
 - Continuously maintained at the site
 - Reviewed monthly w/Payment Application
 - Final documents at completion



WARRANTIES

- Procedures
- Call list
- Follow-up



OPERATIONS & MAINTENANCE

- Training
- Extra Stock
- Preventive Maintenance
- Operations and Maintenance Manuals



AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

FINAL COMPLETION

- File Notice of Completion (NOC) only when:
all aspects of the contract are completed
- Starts statutory time limits on liens
- Absent a filing on NOC, lien limits become longer


AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS



Managing Construction Time

MANAGING CONSTRUCTION TIME

- The meter is running once the Notice to Proceed is issued
- Time is money:
 - During design, time will erode the buying power of your budget
 - During construction, extended general conditions can be substantial



AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

TIME EXTENSIONS DUE TO CHANGES

Do not give a time extension unless the affected activity(ies) is on the critical path

Contractor MUST demonstrate it is entitled to extensions.

Settle time extensions at the time the change order is agreed upon

Contractor MUST demonstrate it is entitled to extensions.

AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

EARLY COMPLETION


WHO OWNS THE FLOAT?

- Contract specifies completion of project on JUNE 30
- The contractor's schedules shows a completion date of JUNE 1
- The owner ADDS ONE CHANGE ORDER to the contract which delays the contractor one month

AIA Continuing Education Provider **APPA**SM
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

EARLY COMPLETION

- The contractor completes the project on JUNE 30



- Had it not been for the CHANGE ORDER, the contractor would have completed on JUNE 1

AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

EARLY COMPLETION

- A contractor is entitled to the RIGHT OF EARLY COMPLETION provided the following are met:
 - The contractor's intent was to complete early from the beginning
 - The contractor formally advised owner about the early completion
 - Early completion date is reasonable

AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MULTIPLE CHOICE - #8

The construction contract clearly states that the contract period is 24 months. The contractor is planning to complete the project in 20 months. Seeing that the building will be vacant for 4 months, the Project Manager is directing in a change order to complete Additional work. However, the issue of extended General Conditions is in dispute.

Is the Contractor Entitled to an add for extended general conditions?

- A) Yes
- B) No

AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

SPECIFIC TO A UNIVERSITY

- Missed Expectations
- Coordination of Campus Service Providers
- Conflicts with the Academic Calendar
- Conflicts with University Events
- Conflicts with University Housing Contracts
- Contractor Workforce Parking
- Restoration of Landscape Areas

AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

SEPARATE CONTRACTORS

The General Contractor is not responsible for coordination of separate contractors



AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

MULTIPLE CHOICE - #9

The General Contractor is responsible for Scheduling and coordinating the work of The University's IT department and other Contractors hired by the University.

A) True
B) False

AIA Continuing Education Provider **APPA** ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

ADMINISTRATION

Owner has obligation to provide sufficient resources to process submittals, drawings, vendor data, samples, and change orders in a timely manner. Failure to do so may result in constructive change.

AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT ARCHITECTS

MULTIPLE CHOICE - #10

The General Contractor has been raising concerns about the length of time that it is taking the architect and engineers to respond to RFI's, Submittals and Change Order Requests. The architect's comment in response to the Contractor is that the University is not paying me enough.

The Project Manager should:

- A) Pay the architect additional fees
- B) Take over the architect's responsibilities
- C) Pay the contractor for delays
- D) Demand that the architect perform

AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT ARCHITECTS


MANAGING CONSTRUCTION

- Before Starting
 - Board/Trustee/State approvals are obtained
 - All of your paperwork is signed
 - All contracts are in place
 - Procedure Meeting
 - Preconstruction Meeting
- Issue the Notice to Proceed

AIA Continuing Education Provider
APPA
ASSOCIATION OF PROFESSIONAL PROJECT ARCHITECTS

MANAGING CONSTRUCTION

- Determine the construction meeting schedule
- Determine who will have the “Power of the Pen”




MANAGING CONSTRUCTION

- Construction Meeting Agenda:
 - Document Issues
 - Assign responsible party(ies)
 - Identify critical due dates
 - Track delays
 - Manage to close items



MANAGING CONSTRUCTION


OAC MEETING MINUTES				
Mtg #	Description	Firm/ Resp.	Due Date	Open / Close
1.1.3	3 week look ahead schedule ↳ No new 3 week schedule issued. Ceiling closure inspection by Mechanical engineer before 7/13 & 7/26. Diego to send notification to A&T.	BCI	6/28	OPN
1.1.4	Noise, Dust and Mud Control. Request to enforce strict dust control, truck tire clearing, careful handling of soil throughout the duration of project. ↳ (6/21) On going monitor and clean up by Bigrand ↳ Complaint by Hotel manager about noise, subs have been starting work at 7 a.m. BCI to enforce start time of 8 a.m. BCI sent letter out to all subcontractors enforcing 8 a.m. start time. No new complaints ↳ Site debris clean-up on regular basis, BCI letter sent to subs.	BCI	6/28	OPN
1.1.5	SWPPP Monitoring: ↳ (6/21) On going, no issues.	BCI	6/28	OPN
1.1.7	Utilities: ↳ (6/21) Power shut down by PG&E to raise splice box on 6/17/19. Lewis & Tibbitts to set traffic rated vests. More work needed to be done, another shut down required. ↳ Gas Re-in - Lewis & Tibbitts to do tie-in as part of their contract with Town when the scaffold is down. ↳ Comcast internet connection for commissioning needs (6/24) ↳ Deep confirmed pathways. (6/14) Written commitment from Verizon & Comcast received. Bruce to forward to BCI. ↳ Water Re-in. (6/10) Handlines will to be built when curbs are built ↳ Verizon phone - (6/16) 60 pair copper and VOIP ordered. Bruce to follow-up.	BCI	6/28	OPN



MANAGING CONSTRUCTION

OAC MEETING MINUTES

Item #	Description	Firm/ Resp.	Due Date	Open/ Closed						
1.4.3	FFE Tracking: <ul style="list-style-type: none"> ☐ (07/29) met with 3 vendors and has ordered required Furniture 	Town	8/28	OPN						
40.4.3	Miscellaneous: <ul style="list-style-type: none"> ☐ (8/21) Bruce to walk with Pamela after bio-swake is done. 	BCI	8/28	OPN						
V Payment										
1.5.2	Payment Application: <ul style="list-style-type: none"> ☐ (8/14) Pay app #12 on 8/28. 	Town	8/28	OPN						
2.5.3	Potential Back Charges: <ul style="list-style-type: none"> ☐ (8/24/19) Item to remain on minutes pending action 	BCI	8/28	OPN						
VI Holiday / Vacation schedule for the core group										
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Craig - 8/13-17</td> <td style="width: 50%;">Aba - 8/19-22</td> </tr> <tr> <td>Thomas - 8/21-22</td> <td>Frank - 7/31-11</td> </tr> <tr> <td>Bruce - 7/28 - 8/8</td> <td></td> </tr> </table>	Craig - 8/13-17	Aba - 8/19-22	Thomas - 8/21-22	Frank - 7/31-11	Bruce - 7/28 - 8/8		All	8/28	OPN
Craig - 8/13-17	Aba - 8/19-22									
Thomas - 8/21-22	Frank - 7/31-11									
Bruce - 7/28 - 8/8										
VII COR Log										
1.7.1	COR Log - ongoing (see attached log) <ul style="list-style-type: none"> ☐ Town requested for gates to the back patio to deter entry into area during off hours. 	All	8/28	OPN						
VIII Supplemental Meeting Schedule										
10.3.2	Identify library systems with Town facilities manager, Library staff, N&T, SMC, Bogard.	All	TBD	OPN						




MANAGING CONSTRUCTION

- As part of meeting, review:
 - Submittal Log
 - RFI Log
 - COR Log
 - Three-week Rolling Schedule
 - Monthly Schedule Update
 - Monthly Payment Application



MANAGING CONSTRUCTION

- Some days, managing construction is like being a referee!



CONSTRUCTION CLAIMS

- Claims are a common part of the construction process.




AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT ARCHITECTS

GENERAL COUNSEL'S VIEW

- What does the contract say?
- Is the claim time barred?
- What was the approved schedule?
- What did the Owner do to affect the critical path?
- What was the Change Order rate on the project?
- How has the Owner been damaged?
- Who else can we get involved?

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT ARCHITECTS

WHAT HAPPENS IF THERE IS A CLAIM?



- Do not get overly excited
- Notify the administration
- Gather resources
 - Administration
 - Legal Counsel
 - 3rd Party Experts
- Pay close attention to timelines


AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT ARCHITECTS

MANAGING CONSTRUCTION

- Determine if there is a entitlement
 - Typically this first starts with the designer of record
 - Make them decide yes or no
- Look for the root cause
- Evaluate time and money components
- Document agreement through a Change Order

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

IMPROVING THE CONSTRUCTION PROCESS



AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

GENERAL CONTRACT RECOMMENDATIONS

IMPROVE OWNER-CONTRACTOR RELATIONSHIP BY:

Avoiding use of onerous contract conditions




AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

GENERAL CONTRACT RECOMMENDATIONS

IMPROVE OWNER-CONTRACTOR RELATIONSHIP BY:

Establishing GOOD communication channels.



AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

GENERAL CONTRACT RECOMMENDATIONS

IMPROVE OWNER-CONTRACTOR RELATIONSHIP BY:

Giving authority to On-Site Managers




AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

GENERAL CONTRACT RECOMMENDATIONS

IMPROVE CONTRACT EXECUTION BY:

More owner investment in preconstruction studies



AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

GENERAL CONTRACT RECOMMENDATIONS

IMPROVE CONTRACT EXECUTION BY:

Better defining risk




AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

GENERAL CONTRACT RECOMMENDATIONS

IMPROVE CONTRACT EXECUTION BY:

- Developing procedures for handling risks
- Independent cost estimates
- Constructability review
- Peer review



AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

DETERMINANTS OF PROJECT SUCCESS

Project Manager

- Experience
- Total construction experience
- Ability to communicate with all parties
- Some suited to design phase, others to construction phase



AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

DETERMINANTS OF PROJECT SUCCESS

Project Team

- Team turnover/ players remaining
- Commitment to project




AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

DETERMINANTS OF PROJECT SUCCESS

Control Systems

- Usable & understandable systems
- Ability to get budget/accounting updates often




AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

DETERMINANTS OF PROJECT SUCCESS

Planning

- Overall approach to control of project



AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

WAS THE PROJECT SUCCESSFUL?

Planning

- On time?
- On budget?
- Did all participants agree that the achieved performance outcome was better than expected?

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

ALMOST FINISHED.....

This concludes The American Institute of Architects Continuing Education Systems Course

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS

Jeffrey Gee, AIA
Vice President | General Manager
Swinerton Management & Consulting
260 Townsend Street
San Francisco, CA 94107

Tel: 415.984.1239
FAX: 415.984.1292

Jgee@swinerton.com
www.swinerton.com

SWINERTON
MANAGEMENT & CONSULTING

Concord, CA
Oakland, CA
Sacramento, CA
San Diego, CA
Santa Clara, CA
San Francisco, CA

AIA Continuing Education Provider **APPA**
ASSOCIATION OF PROFESSIONAL PROJECT MANAGERS
